

VALVOLINE ATF + 4™ TRANSMISSION FLUID

Valvoline ATF + 4 is a uniquely blended automatic transmission fluid that meets Chrysler Material Standard MS-9602. It is designed as a factory fill fluid for all 1998 and later Chrysler Corporation automatic transmissions and transaxles. It is fully compatible with all transmissions that require Mopar ATF +®, Mopar ATF+2™ and Mopar ATF+3™. **Valvoline ATF + 4** is for use in all applications specifying Mopar ATF+4 or Type MS-9602 fluid.

The Valvoline ATF + 4™ Advantages:

- **Longer Life:** Improved thermal stability for longer fluid life.
- **Better Viscosity Stability:** Improved viscosity stability for consistent transmission operation.
- **Frictional Enhancement:** Specific frictional properties for smooth clutch engagement.
- **Corrosion & Wear Protection:** Contains special additives to prevent rust corrosion and wear for longer life.
- **Foaming Protection:** Contains additive to reduce foaming.

Recommended Applications:

Mopar ATF+ MS 7176®
Mopar ATF+2® MS 7176
Mopar ATF+3™
Mopar ATF+4™

Typical Properties:

| | ATF+4 |
|---------------------------------|--------|
| Viscosity @ 100C, cSt | 7.55 |
| Viscosity @ 40C, cSt | 34.13 |
| Viscosity Index | 198 |
| Specific Gravity @ 60F | 0.8506 |
| Density, lbs/gal | 7.09 |
| Pour Point, C, max. | -48 |
| Zinc, wt.% | Nil |
| Calcium, wt.% | 0.069 |
| Phosphorus, wt.% | 0.046 |
| Boron, wt.% | 0.014 |
| Brookfield Viscosity @ -40C, cP | 9,000 |
| Flash Point, COC, C | 196 |

Effective Date:
3/15/18

Author:
MDW